

ABRAZADERAS Y BRIDAS

Abrazaderas y bridas

ABRAZADERA SUPRA



CÓDIGO
Acero zincado FA563
Acero inoxidable FA564

∅ mm
17-19
19-21
21-23
23-25
25-27
27-29
29-31
31-34
34-37
37-40
40-43
43-47
47-51
51-55
55-59
59-63
63-68
68-73
73-79
79-85
85-91
91-97
97-104
104-112
112-121
121-130
130-140
140-150
150-162
162-174
174-187
187-200
200-213
213-226
226-239
239-252
252-265
265-278

MATERIALES Acero zincado y acero inoxidable.

ABRAZADERA ASFA



CÓDIGO
Acero zincado FA5650
Acero inoxidable FA5654

∅ mm
8-12
8-16
12-22
16-27
20-32
25-40
30-45
32-50
40-60
50-70
60-80
70-90
80-100
90-110
100-120
110-130
120-140
130-150
140-160
150-170
160-180
170-190
180-200
190-210
200-220
210-230
220-240
230-250
250-270
260-280
270-290
280-300
290-310
300-320

MATERIALES Acero zincado y acero inoxidable.

ABRAZADERA 2 OREJAS



CÓDIGO
Acero zincado FA5825
Acero inoxidable FA5826

∅ mm

5-7

7-9

9-11

11-13

13-15

15-18

17-20

18-21

20-23

22-25

23-27

25-28

28-31

31-34

34-37

37-40

40-43

43-46

MATERIALES Acero zincado y acero inoxidable.

BRIDAS DENTADAS



CÓDIGO
Blanca FA571
Negra FA572

Ancho mm	Largo mm	Colores	Cantidad
2,5	160	Blanco/Negro	100
2,5	200	Blanco/Negro	100
3,6	140	Blanco/Negro	100
3,6	200	Blanco/Negro	100
4,8	200	Blanco/Negro	100
4,8	300	Blanco/Negro	100
7,6	430	Blanco/Negro	100
7,6	450	Blanco/Negro	100
7,6	750	Blanco/Negro	100

MATERIALES Nylon

ABRAZADERA DE SEGURIDAD DIN 2817 DE ALUMINIO CON PASADOR



CÓDIGO
Aluminio CG531805

DN mm	Presión trabajo bar	∅ Manguera mm	∅ ext. MIN-MAX mm
25	25	25x6	36-39
32	25	32x6	43-46
38	25	38x6,5	50-53
50	25	50x8	63-67
65	25	65x7	78-82
75	25	75x8	89-93
100	25	100x8	114-119

NOTA Otras medidas disponibles bajo pedido.

ABRAZADERA DE SEGURIDAD DIN 2817 ALUMINIO

Abrazaderas y bridas



CÓDIGO CG53180K



CÓDIGO Aluminio azul CG53180K1



CÓDIGO Aluminio rojo CG53180K2



CÓDIGO Aluminio negro CG53180K3



CÓDIGO Aluminio blanco CG53180K4



CÓDIGO Aluminio amarillo CG53180K5

DN mm	Presión trabajo bar	ø Manguera mm	ø ext. MIN-MAX mm	Tornillo
13	25	13x5	22-24	M6X20
19	25	19x6	30-33	M6X20
25	25	25x5	34-36	M6X20
25	25	25x6	36-39	M6X20
25	25	25x8	40-43	M6X20
32	25	32x5	41-43	M6X20
32	25	32x6	43-46	M6X20
32	25	32x8	47-50	M6X20
32	25	32x5	47-49	M6X20
38	25	38x6,5	50-53	M6X20
38	25	38x8	53-56	M6X20
38	25	38x10	57-60	M6X20
40	25	40x7	53-56	M6X20
40	25	40x10	58-61	M6X20
45	25	45x7	58-61	M8X25
50	25	50x5	59-61	M8X25
50	25	50x6	61-63	M8X25
50	25	50x8	63-67	M8X25
50	25	50x10	69-71	M8X25
63	25	63x6	74-76	M8X25
63	25	63x8	78-82	M8X25
63	25	63x10	84-87	M8X25
75	25	75x6	85-89	M8X25
75	25	75x8	89-93	M8X25
75	25	75x10	94-97	M8X25
75	25	75x12	98-101	M8X25
80	25	80x8	94-97	M8X25
90	25	90x6,5	101-105	M8X25
100	25	100x6,5	111-115	M10X40
100	25	100x8	114-119	M10X40
100	25	100x10	118-122	M10X40
100	25	100x12	122-126	M10X40
100	25	100x14	126-130	M10X40
125	25	125x10	143-148	M10X60
150	16	150x10	168-174	M12X60
200	16	200x12	222-229	M12X50

ABRAZADERA DE SEGURIDAD DIN 2817 AISI 316



CÓDIGO
Acero inoxidable CG53180L

DN mm	Presión trabajo bar	ø Manguera mm	ø ext. MIN-MAX mm	Tornillo
13	25	13x5	22-24	M6X20
19	25	19x6	30-33	M6X20
25	25	25x6	36-39	M6X20
32	25	32x6	43-46	M6X20
38	25	38x6,5	50-53	M6X20
38	25	38x8	53-56	M6X20
50	25	50x6	61-63	M8X25
50	25	50x8	63-67	M8X25
50	25	50x10	69-71	M8X25
63	25	63x8	78-82	M8X25
75	25	75x8	89-93	M8X25
100	25	100x8	114-119	M10X40
100	25	100x10	118-122	M10X40

NOTA Abrazaderas también disponibles en latón (CG5318B) y en polipropileno azul (CG5318P1), rojo (CG5318P2), negro (CG5318P3) y blanco (CG5318P4).